

REMOTE SYSTEMS

SMART DEVICE | ON / OFF | THERMOSTAT | PROGRAMMABLE

WIRELESS WALL MOUNT | WIRED WALL MOUNT | SOLENOID & DC MOTOR

ACCESSORIES | PRIVATE LABELING | POINT OF PURCHASE



REMOTE SYSTEMS

HOW THEY WORK

If you replace your existing fireplace wall switch with our receiver combined with our uniquely designed wall plate, you will connect your existing low voltage wires to the receiver.




If you ever need any help or have any questions, we are available by phone Monday through Friday. Call 855.498.8324.



In most fireplaces, the components that you need to connect to are in a space located underneath the firebox and behind the louver. You can either place the receiver underneath the firebox or at your existing wall switch location.



HOW IT COMMUNICATES



Underneath the fireplace, you will find a valve that will have these three terminals on it: TP/TH, TP, and TH. The receiver wires will connect to the TP/TH and the TH terminals.

For IPI Systems, connect the receiver wires to the on/off switch wires.

BATTERY / 110 VOLT RECEIVER



BATTERY RECEIVER

Operates on 4-AA batteries. Able to place your receiver in any location away from an outlet.



110VAC RECEIVER

All the same functionality as the battery powered receiver. No need to replace batteries.

SMART DEVICE

REMOTE SYSTEMS

WARRANTY

5 Year limited warranty on all remote systems



7060 SkyBridge



Capable of connecting the included receiver with your phone to control your fireplace (No WiFi connectivity)

Easy set up and in-app tutorials

Button On/Off remote with simple push-button operation

All battery operated transmitter & plug-in receiver - RF

10,000,000 security codes

Programmable On/Off operation

Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Bridge, Batteries, Hardware Bag, Instructions



7001 SkyBridge Compatible



Simple push-button On / Off operation

Single click for ON, double click for OFF

All battery operated transmitter & receiver - RF

10,000,000 security codes

Optional mounting hardware included

Receiver will learn up to two additional Skytech Transmitters

BOX INCLUDES: Transmitter, Receiver, Batteries, Hardware Bag, Instructions



7015 SkyBridge Compatible



1800 watt capacity

Simple push-button On / Off operation

Single click for ON, double click for OFF


All battery operated transmitter & plug-in receiver - RF

10,000,000 security codes

Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Batteries, Hardware Bag, Instructions

HOW THE 7060 SkyBridge COMMUNICATES



HOW THE 7001 COMMUNICATES



HOW THE 7015 COMMUNICATES



ON/OFF

REMOTE SYSTEMS

WARRANTY

5 Year limited warranty on all remote systems



7060 SkyBridge

Capable of connecting the included receiver with your phone to control your fireplace (No WiFi connectivity)

Easy set up and in-app tutorials

Button On/Off remote with simple push-button operation

10,000,000 security codes

Programmable On/Off operation

All battery operated transmitter & plug-in receiver - RF

Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Bridge, Batteries, Hardware Bag, Instructions



7001 SkyBridge Compatible

Simple push-button On / Off operation

Single click for ON, double click for OFF

All battery operated transmitter & receiver - RF

10,000,000 security codes

Optional mounting hardware included

Receiver will learn up to two additional Skytech Transmitters

BOX INCLUDES: Transmitter, Receiver, Batteries, Hardware Bag, Instructions



7015 SkyBridge Compatible

1800 watt capacity

Simple push-button On / Off operation

Single click for ON, double click for OFF

All battery operated transmitter & plug-in receiver - RF

10,000,000 security codes

Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Batteries, Hardware Bag, Instructions



1001-A

All battery operated transmitter & receiver - RF

On/Off transmitter

65,536 security codes

All batteries and wall clip included

Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Wall Clip, Instructions



1420-A

Battery operated transmitter - RF

110VAC plug-in receiver

ON/OFF transmitter

65,536 security codes

110VAC receiver, slide switch ON/REMOTE/OFF to manually operate the appliance

Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Batteries, Hardware Bag, Wall Clip, Instructions



1001T-LCD-A

All battery operated transmitter & receiver - RF

ON/OFF transmitter

LCD display room temperature in °F or °C,

3-hour countdown timer

Flame indicator

Low battery indicator

65,536 security codes

Child safety lock out

Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Wall Clip, Instructions



1420TLC-D-A

Battery operated transmitter - RF 65,536 security codes
 110VAC plug-in receiver 110VAC receiver, slide switch ON/REMOTE/OFF to manually operate the appliance
 ON/OFF transmitter
 LCD display room temperature in °F or °C, 3-hour countdown timer
 Flame indicator
 Low battery indicator
 Child safety lock out

BOX INCLUDES: Transmitter, Receiver, Batteries, Hardware Bag, Wall Clip, Instructions



1001-A-FSCRF

Automatically turns the fireplace fan on in 7 minutes from when the fireplace is turned on and turns the fan off in 12 minutes after the fireplace is turned off.

Battery operated easy-to-use on/off transmitter

110VAC plug-in receiver (no need to change receiver batteries)

"Set it and forget it" adjustable fan speed control receiver remembers your desired fan speed.

Four (4) fan speed settings and an Off setting.

65,536 security codes

Compatible with Millivolt and most Electronic Ignition controls.


BOX INCLUDES: Transmitter, Speed Control Receiver, Hardware Bag, Instructions



1001D-A

All battery operated transmitter & receiver - RF
 Wireless wall switch, surface mount
 65,536 security codes
 Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Instructions



WS

Wired wall switch

Decorative rocker-style wall switch and cover plate

UL listed switch

20 feet of 18-2 low-voltage wire included

BOX INCLUDES: Switch, Wall Plate, 20' wire, Hardware Bag, Instructions

THERMOSTAT

REMOTE SYSTEMS

WARRANTY

5 Year limited warranty on all remote systems



5301

All battery operated transmitter & receiver - RF
1,048,576 security codes
Touchscreen transmitter
Backlit LCD screen
Thermostatic control
BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Wall Mount, Instructions

Flame indicator
Low battery indicator
9-hour countdown timer
Child safety lock out
Wall mount docking station



5320

Battery operated transmitter - RF
110VAC plug-in receiver
1,048,576 security codes
Touchscreen transmitter
Backlit LCD screen
Thermostatic control
BOX INCLUDES: Transmitter, Receiver, Wall Mount, Batteries, Hardware Bag, Instructions

Flame indicator
Low battery indicator
9-hour countdown timer
Child safety lock out
Wall mount docking station



SMART-BATT

NEW

On / Off / Thermostat remote
All battery operated
Backlit LCD
All batteries included
9-Hour countdown timer
1,048,576 security codes
Child safety lockout
Auto safety shutdown (9 hours)
Low battery indicator
Wall mount bracket included
Limited lifetime 5 year warranty

BOX INCLUDES: Transmitter, Receiver, Hardware Bag, Wall Clip, Instructions



SMART-STAT

NEW

On / Off / Thermostat remote
110 volt receiver
Backlit LCD
All batteries included
9-Hour countdown timer
1,048,576 security codes
Child safety lockout
Auto safety shutdown (9 hours)
Low battery indicator
Wall mount bracket included
Limited lifetime 5 year warranty

BOX INCLUDES: Transmitter, Receiver, Batteries, Hardware Bag, Wall Clip, Instructions



3301

All Battery operated transmitter & receiver - RF
1,048,576 security codes
LCD displays both room and thermostat set temperature in °F or °C
Thermostatic control
9-hour countdown timer and 24-hour clock
Flame indicator
Low battery indicator
Child safety lock out
Swing temperature (adjustable 1 - 3 degrees)

BOX INCLUDES: Transmitter, Receiver, Wall Mount, Wall Plate, Batteries, Hardware Bag, Instructions



1420TH-A

Battery operated transmitter - RF
110VAC plug-in receiver
ON/OFF transmitter
LCD display room and thermostat temperature in °F or °C
Flame indicator
Low battery indicator
65,536 security codes
Child safety lock out
110VAC receiver, slide switch ON/REMOTE/OFF to manually operate the appliance
Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Hardware Bag, Wall Clip, Instructions



1001TH-A

All battery operated transmitter & receiver - RF
4-button ON/OFF/MODE/SET transmitter
LCD display room and thermostat temperature in °F or °C
Flame indicator
Low battery indicator
65,536 security codes
Receiver will learn up to two additional Skytech transmitters

BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Wall Clip, Instructions



3301-A-FSCRF

Automatically turns the fireplace fan on in 7 minutes from when the fireplace is turned on and turns the fan off in 12 minutes after the fireplace is turned off.

"Set it and forget it" adjustable fan speed control receiver remembers your desired fan speed.

Four (4) fan speed settings and an Off setting.

Compatible with Millivolt or Electronic Ignition controls

Battery operated transmitter

1,048,576 security codes

Thermostatic control

Countdown timer

Adjustable swing temperature

110VAC plug-in receiver (no need to change receiver batteries)

Compatible with Millivolt and most Electronic Ignition controls

BOX INCLUDES: Transmitter, Speed Control Receiver, Wall Mount, Batteries, Hardware Bag, Instructions



3002

All battery operated transmitter & receiver - RF
1,048,576 security codes
LCD displays both room and set temperature in °F or °C
Thermostatic control
9-hour countdown timer
24-hour clock
Flame indicator
Low battery indicator
Child safety lock out
Swing temperature (adjustable 1 - 3 degrees)

BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Instructions



TS-R-2A

All Battery operated transmitter & receiver - RF
Wireless thermostat or manual ON/SET/OFF operation
Large LCD screen displays room and set temperature in °F or °C
1,048,576 security codes
Flame indicator

BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Instructions



TS-3

Wired thermostat or manual ON/SET/OFF operation surface mount
Large LCD screen to display room and set temperature in °F or °C
1,048,576 security codes
Flame indicator

BOX INCLUDES: Transmitter, Batteries, Hardware Bag, Instructions

PROGRAMMABLE

REMOTE SYSTEMS



5301P

All battery operated transmitter & receiver - RF
1,048,576 security codes
Touchscreen transmitter
Backlit LCD screen
Child safety lock out

Thermostatic control
Flame indicator
Low battery indicator
Programmable (Weekday/Weekend) (5/2)
Wall mount docking station

BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Wall Mount, Instructions



5320P

Battery operated transmitter - RF
110VAC plug-in receiver
1,048,576 security codes
Touchscreen transmitter
Backlit LCD screen
Child safety lock out

Thermostatic control
Flame indicator
Low battery indicator
Programmable (Weekday/Weekend) (5/2)
Wall mount docking station

BOX INCLUDES: Transmitter, Receiver, Wall Mount, Batteries, Hardware Bag, Instructions



3301P2

All battery operated transmitter & receiver - RF
1,048,576 security codes
Backlit LCD screen
Thermostatic control
Flame indicator
Low battery indicator
Child safety lock out
Programmable (Weekday/Weekend) (5/2)
Swing temperature (adjustable 1 - 3 degrees)

BOX INCLUDES: Transmitter, Receiver, Wall Mount, Wall Plate, Batteries, Hardware Bag, Instructions



3003P

All battery operated transmitter & receiver - RF
1,048,576 security codes
LCD displays both room and set temperature in °F or °C
Thermostatic control
9-hour countdown timer
24-hour clock

Flame indicator
Low battery indicator
Child safety lock out
Swing temperature (adjustable 1 - 3 degrees)
Programmable thermostat setting, 7 days / 4 periods within one day

BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Instructions

WARRANTY

5 Year limited warranty on all remote systems

SOLENOID & DC MOTOR CONTROL

REMOTE SYSTEMS



MRCK

All battery operated transmitter & receiver - RF
Infinite flame adjustment from remote control
65,536 security codes
Single function control for operating the servo motor valve system

BOX INCLUDES: Transmitter, Receiver, Receiver Shield, Batteries, Hardware Bag, Wall Clip, Instructions



MRCK-TH

All battery operated transmitter & receiver - RF
65,536 security codes
LCD display for room and set temperature in °F or °C
Flame indicator
Low battery indicator
Child safety lock out
Thermostat control for operating the servo motor valve system

BOX INCLUDES: Transmitter, Receiver, Receiver Shield, Batteries, Hardware Bag, Wall Clip, Instructions



CON

All Battery operated transmitter & receiver - RF
ON/OFF transmitter
Single function control for operating latching solenoid gas valve systems
65,536 security codes

BOX INCLUDES: Transmitter, Receiver, Receiver Shield, Batteries, Hardware Bag, Wall Clip, Instructions



CON-TH

All battery operated transmitter & receiver - RF
255 security codes
LCD display for room and set temperature in °F or °C
ON/OFF control
Flame indicator
Low battery indicator
Child safety lock out
Thermostat control for operating latching solenoid gas valve systems

BOX INCLUDES: Transmitter, Receiver, Receiver Shield, Batteries, Hardware Bag, Wall Clip, Instructions



RCT-MLT

On / Off / Thermostat multi-function remote control
1,048,576 security codes
Flame modulation (high / medium / low)
Fan speed control (high / medium / low & off)
Includes solenoid for flame modulation
9-Hour countdown timer
Child safety lockout
Auto safety shutdown (9 hours)
All batteries included
Low battery indicator
Wall mount bracket included
Limited lifetime 5 year warranty
For use with Dexen millivolt gas valves

BOX INCLUDES: Transmitter, Receiver, Solenoid, Batteries, Hardware Bag, Wall Clip, Instructions

WARRANTY

5 Year limited warranty on all remote systems

WIRELESS WALL MOUNT

REMOTE SYSTEMS

WARRANTY

5 Year limited warranty on all remote systems



TS-R-2A

Wireless thermostat or manual ON/SET/OFF operation
All Battery operated transmitter & receiver - RF
Large LCD screen displays room and set temperature in °F or °C
1,048,576 security codes
Flame indicator
BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Instructions



1001D-A

All battery operated transmitter & receiver - RF
Wireless wall switch, surface mount
65,536 security codes
Receiver will learn up to two additional Skytech transmitters
BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Instructions



TM-R-2A

30 / 60 / 120 minute timer
All battery operated transmitter & receiver - RF
65,536 security codes
Receiver will learn up to two additional Skytech ON/OFF transmitters
BOX INCLUDES: Transmitter, Receiver, Wall Plate, Batteries, Hardware Bag, Instructions

WIRED WALL MOUNT

REMOTE SYSTEMS

WARRANTY

5 Year limited warranty on all remote systems



WS

Wired wall switch
Decorative rocker-style wall switch and cover plate
UL listed switch
20 feet of 18-2 low-voltage wire included
BOX INCLUDES: Transmitter, Hardware Bag, Wire, Instructions



TS-3

Wired thermostat or manual ON/SET/OFF operation surface mount
Large LCD screen to display room and set temperature in °F or °C
Flame indicator
BOX INCLUDES: Transmitter, Batteries, Hardware Bag, Instructions



TM-3

Wired 30 / 60 / 120 minute timer
Battery operated wired transmitter
BOX INCLUDES: Transmitter, Batteries, Hardware Bag, Instructions

ACCESSORIES

FOR REMOTE SYSTEMS



RS-1

Metal receiver shield
Insulated to protect from heat



RS-1A

Copolymer Tepcon material receiver cover
High temperature material
Improves RF communication



RS-2

Log-style receiver cover
Solid refractory construction

⚠ WARNING! | CALIFORNIA PROPOSITION 65
This product can expose you to Titanium Dioxide and Lithium Carbonate, which is known to the state of California to cause cancer and birth defects or other reproductive harm. (For more information, go to www.p65warnings.ca.gov)